



PROFESSIONAL

专业的离合器轴承生产企业

品牌 / 卓越 / 专注 / 领航 / 未来

Clutch Release Bearing



新昌合昉汽车零部件有限公司
XINCHANG HEYANG AUTO PARTS CO., LTD

浙江省绍兴市新昌县七星街道塔山一路50号

Add: No.50 Tashan 1st Rd, Qixing Street, Xinchang, Shaoxing, Zhejiang, P.R.China.

E-mail: 13867573512@163.com sales@cosunbearing.com

Http://www.cosunbearing.com

新昌合昉汽车零部件有限公司
XINCHANG HEYANG AUTO PARTS CO., LTD



PRODUCT QUALITY CONTROL

质量控制

我们深知：质量是企业的生命，是产品的核心要素。不断改进新工艺，提升各种检测设备，对产品进行全模拟试验（寿命测试），充分保证产品的可靠性，让客户可以放心购买和销售。
We deeply understand that Quality is the life of an enterprise and the core element of a product.
Continuously improving new processes, enhancing various testing equipment, conducting full imitation tests (life tests) on products, fully ensuring product reliability, and ensuring customers to purchase and sell with confidence.



公司简介 Company Profile

新昌合昉汽车零部件有限公司是一家专业生产汽车离合器轴承及其他非标类轴承的企业，目前已开发生产的型号达到300个以上。产品适用于日系，韩系，德系，美系等各种车型。产品主要销售中东，东南亚，南美，欧洲等国家和地区。

公司拥有先进的生产设备，完善的管理制度，年生产能力达到200万套以上。

我们的质量方针：品质为轴，承载未来，质量先行，顾客至上。

我们的核心竞争力：多品种，小批量。

我们本着以顾客需求为出发点，做好每一件小事，脚踏实地，真诚对待每一位顾客，竭诚欢迎您的合作！

Co-Sun Bearing is specialized in producing Automotive Clutch Release Bearings and other Non-standard Bearings with more than 300 items. Which mainly applied for the automobiles brand from Japan, Korea, Germany, USA and etc. Our main markets are: the Middle East, Iran, South-East Asia, South America, European Countries and regions.

The company has advanced production equipment, perfect management system, with an annual production capacity of 2 million pieces.


Our Quality Goal: Quality is future, Customer first, Quality priority.

Our core competitiveness: Multi-specification & Small-batch.


We're in line with the concept of Customer's demand first, well-done on every trivial thing, be down-to-earth, to treat each customer sincerely. We warmly welcome your co-operation.



分离轴承的使用装配尺寸及结构



空调压缩机轴承和涨紧轮轴承的使用装配尺寸及结构



◆ 离合器分离轴承 Clutch Release Bearing



CO-SUN	d	D	H	W	Application
1001CST	26.1	45/66	27	37	LADA



CO-SUN	d	D	H	W	Application
1006CSR58	35.1	58	26.5	44	TOYOTA



CO-SUN	d	D	H	W	Application
1002CR68	35	68	30	44	TOYOTA



CO-SUN	d	D	H	W	Application
1007CSR50	33	50	22.3	71	DAEWOO SUZUKI 465



CO-SUN	d	D	H	W	Application
1003CSR60	35	60	25	79	TOYOTA




CO-SUN	d	D	H	W	Application
1008CSR47	29	47	21	38	KIA PRIDE MAZDA



CO-SUN	d	D	H	W	Application
1004CSR48	31.8	48	22	60.5	HYUNDAI MITSUBISHI



CO-SUN	d	D	H	W	Application
1009CSR44	28.1	44	20.5	40	HYUNDAI ATOS KIA



CO-SUN	d	D	H	W	Application
1005CSR47	31	47	23	68	HONDA CIVIC



CO-SUN	d	D	H	W	Application
1010CSL	33	43.5	25.5	95	MITSUBISHI SUBARU

◆ 离合器分离轴承 Clutch Release Bearing



CO-SUN	d	D	H	W	Application
1011CST	34.1	45/64	35	41	



CO-SUN	d	D	H	W	Application
1016CSR48	33.5	48	21.5	50	SUZUKI 472



CO-SUN	d	D	H	W	Application
1012CSR50	28.1	50	22	55.5	SUZUKI



CO-SUN	d	D	H	W	Application
1017CST	25.3	35/51	19	34.5	VW



CO-SUN	d	D	H	W	Application
1013CSR62	47	62	24		ISUZU OPEL VAUXHALL



CO-SUN	d	D	H	W	Application
1018CST	57	68/100	37	75	DAF



CO-SUN	d	D	H	W	Application
1014CSR68	47	68	49	68	MITSUBISHI



CO-SUN	d	D	H	W	Application
1019CSR48	32	48	38	40	ISUZU




CO-SUN	d	D	H	W	Application
1015CST	38.1	45/56	17	48	OPEL SAAB VAUXHALL DAEWOO




CO-SUN	d	D	H	W	Application
1020CST	38.1	45/56.5	17	46	CHEVROLET OPEL SAAB DAEWOO VAUXHALL

◆ 离合器分离轴承 Clutch Release Bearing



CO-SUN	d	D	H	W	Application
1021CST	34.2	44/64	34.5	41	TATA



CO-SUN	d	D	H	W	Application
1026CSR48	32	48	23	46	HYUNDAI



CO-SUN	d	D	H	W	Application
1022CST	34.2	44/64	34.5	41	TATA




CO-SUN	d	D	H	W	Application
1027CST	38.1	44.8/66	32	53.5	



CO-SUN	d	D	H	W	Application
1023CSR44	28.1	44	22	55.5	CHEVROLET OPEL SUZUKI DAEWOO MATIZ VAUXHALL




CO-SUN	d	D	H	W	Application
1028CST	57	70/100	40	75	MAN M90



CO-SUN	d	D	H	W	Application
1024CSR34	24.4	34	20.5	61.5	PEUGEOT 206



CO-SUN	d	D	H	W	Application
1029CST	34	41.3/67	29	42.7	BMC



CO-SUN	d	D	H	W	Application
1025CST	33.6	39/61	37.5	80	PAYKAN



CO-SUN	d	D	H	W	Application
1030CSR50	33.2	50	22	79	TOYOTA

◆ 离合器分离轴承 Clutch Release Bearing




CO-SUN	d	D	H	W	Application
1031CSR58	37.2	58	31	100	HYUNDAI



CO-SUN	d	D	H	W	Application
1036CST	36.6	45/69	41.5	49	JEEP CHRYSLER DODGE VAN



CO-SUN	d	D	H	W	Application
1032CSR48	31.7	48	21	62	HYUNDAI KIA



CO-SUN	d	D	H	W	Application
1037CST	38.2	56/82	35	51	GAZ ZMZ 405,406




CO-SUN	d	D	H	W	Application
1033CSR48	31.7	48	21.3	60	HYUNDAI



CO-SUN	d	D	H	W	Application
1038CST	58.75	66/94	25.3	71.5	FORD



CO-SUN	d	D	H	W	Application
1034CSR54	36.1	54	27	77	MAZDA 323



CO-SUN	d	D	H	W	Application
1039CSR37	33.6	37	43.5	79.5	PAYKAN



CO-SUN	d	D	H	W	Application
1035CSR34	26.5	34	19	30	RENAULT VOLVO



CO-SUN	d	D	H	W	Application
1040CSR48	33.1	48	20.5	60	BYD

◆ 离合器分离轴承 Clutch Release Bearing



CO-SUN	d	D	H	W	Application
1041CSR48	33.2	48	21.5	50	CHANA



CO-SUN	d	D	H	W	Application
1046CST	58	57/85	28.5		



CO-SUN	d	D	H	W	Application
1042CSR50	33.1	50	22	70	新长安465Q 哈飞465 中意 佳宝 五菱



CO-SUN	d	D	H	W	Application
1047CSR48	33	48	22	50	SUZUKI MARUTI



CO-SUN	d	D	H	W	Application
1043CSR62	35.2	62	37.5	47.5	一汽红塔轻卡 小解放498



CO-SUN	d	D	H	W	Application
1048CST	48	62/78	32	60	ISUZU NPR77



CO-SUN	d	D	H	W	Application
1044CST	49.5	58/90	44	65	JOHN DEERE



CO-SUN	d	D	H	W	Application
1049CST	36.5	47.5/73	24.5	53	




CO-SUN	d	D	H	W	Application
1045CST	36.6	40.5/63	25	42.6	RENAULT



CO-SUN	d	D	H	W	Application
1050CSR34	23.5	34	24	50	RENAULT

◆ 离合器分离轴承 Clutch Release Bearing



CO-SUN	d	D	H	W	Application
1051CST			33	19	VW SEAT AUDI



CO-SUN	d	D	H	W	Application
1056CST	34.2	43/62	25	38	HYUNDAI DAEWOO



CO-SUN	d	D	H	W	Application
1052CSR50	35	50	34	44	TOYOTA VW



CO-SUN	d	D	H	W	Application
1057CST	63.5	65/100	23		



CO-SUN	d	D	H	W	Application
1053CST	38.5	42/56	38	52	GAZ



CO-SUN	d	D	H	W	Application
1058CST	55	57/90.5	30.5		



CO-SUN	d	D	H	W	Application
1054CSR47	30	47	19.5	45	SUZUKI ALTO



CO-SUN	d	D	H	W	Application
1059CST	44.6	58/87	37	48.5	CHEVROLET GMC



CO-SUN	d	D	H	W	Application
1055CSR34	25.5	36	19	34.5	VW



CO-SUN	d	D	H	W	Application
1060CST	35	41/66	16.5	41	CHEVROLET GMC

◆ 离合器分离轴承 Clutch Release Bearing



CO-SUN	d	D	H	W	Application
1061CSR34	24.1	34	24	50	RENAULT



CO-SUN	d	D	H	W	Application
1066CST	46.1	52/87	66.8	52.5	



CO-SUN	d	D	H	W	Application
1062CST	35	45/58	18	41.5	OPEL VAUXHALL



CO-SUN	d	D	H	W	Application
1067CSR50	33	50	22	70	TOYOTA



CO-SUN	d	D	H	W	Application
1063CSR34	26.5	34	17.3	30	RENAULT



CO-SUN	d	D	H	W	Application
1068CSR44	28.2	44	22	55.6	



CO-SUN	d	D	H	W	Application
1064CSR50	33.1	50	22	79	TOYOTA



CO-SUN	d	D	H	W	Application
1069CSR34	25.8	34	21	36	CITROEN




CO-SUN	d	D	H	W	Application
1065CST	40	62/78	32	52	ISUZU



CO-SUN	d	D	H	W	Application
1070CSR34	24.5	34	20.5	62	CITROEN PEUGEOT ROVER

◆ 离合器分离轴承 Clutch Release Bearing



CO-SUN	d	D	H	W	Application
1071CSR44	33.2	44	22	70	KARRY



CO-SUN	d	D	H	W	Application
1074-1CSR50	35.1	50	24	44	TOYOTA VW



CO-SUN	d	D	H	W	Application
1072CSR44	28.2	44	22	55.6	CHERY QQ LUBAO



CO-SUN	d	D	H	W	Application
1075CSR44	28.1	44	23.5	42.5	




CO-SUN	d	D	H	W	Application
1073CSR50	35.1	50	30	44	TOYOTA VW



CO-SUN	d	D	H	W	Application
1076CSR48	37	48	21		ISUZU VAUXHALL OPEL




CO-SUN	d	D	H	W	Application
1073-1CSR50	35.1	50	30	44	TOYOTA VW



CO-SUN	d	D	H	W	Application
1077CSR40	28.1	40	26.5	90.5	FIAT




CO-SUN	d	D	H	W	Application
1074CSR50	35.1	50	24	44	TOYOTA VW



CO-SUN	d	D	H	W	Application
1078CSR34	23.6	34	25.5	82.2	FIAT

◆ 离合器分离轴承 Clutch Release Bearing




CO-SUN	d	D	H	W	Application
1079CSR34	23.8	34	28	82	FIAT LANCIA



CO-SUN	d	D	H	W	Application
1084CST	33	43/64	25	44.5	BENZ



CO-SUN	d	D	H	W	Application
1080CSR62	33.1	62	31	50	




CO-SUN	d	D	H	W	Application
1085CSR50	33.2	50	25	70.5	SUZUKI



CO-SUN	d	D	H	W	Application
1081CSR44	30	44	19.5	44.5	



CO-SUN	d	D	H	W	Application
1086CST	34.5	44/60	14	72	



CO-SUN	d	D	H	W	Application
1082CST	31.4	41/56	23.5	41.5	VW AUDI SEAT



CO-SUN	d	D	H	W	Application
1087CSR48	33	48	23.5	42.5	CHANA SUZUKI



CO-SUN	d	D	H	W	Application
1083CST	38	51/77	32	51.5	LADA



CO-SUN	d	D	H	W	Application
1088CSL	32.1	43	30.5	95	OPEL VAUXHALL ISUZU

◆ 离合器分离轴承 Clutch Release Bearing



CO-SUN	d	D	H	W	Application
1089CSR58	35.6	58	27	44	TOYOTA



CO-SUN	d	D	H	W	Application
1094CSR55	32.1	55	32	46	MITSUBISHI



CO-SUN	d	D	H	W	Application
1090CSR60	32.2	60	25	40	ISUZU




CO-SUN	d	D	H	W	Application
1095CST	54	60/78	23		ISUZU




CO-SUN	d	D	H	W	Application
1091CSR60	35	60	25	52	ISUZU



CO-SUN	d	D	H	W	Application
1096CST	47.6	57/83	56.7	74	



CO-SUN	d	D	H	W	Application
1092CSR62	33	62	19.5	69	NISSAN



CO-SUN	d	D	H	W	Application
1097CSR62	33	62	13	68	NISSAN



CO-SUN	d	D	H	W	Application
1093CSR60	35.6	60	25	79	TOYOTA



CO-SUN	d	D	H	W	Application
1098CSR50	28.2	50	22	55.6	SUZUKI


◆ 离合器分离轴承 Clutch Release Bearing



CO-SUN	d	D	H	W	Application
1099CST	38.1	46/75	37.8	52	UAZ



CO-SUN	d	D	H	W	Application
1104CST	44.6	57/87	36.5	52.5	FORD



CO-SUN	d	D	H	W	Application
1100CSR40	28.1	40	26.5	90.5	FIAT ALFA ROMEO LANCIA




CO-SUN	d	D	H	W	Application
1105CST	48.8	57/87	53.5	54.2	CHRYSLER GM



CO-SUN	d	D	H	W	Application
1101CSR34	24	34	18.5	29	CITROEN PEUGEOT




CO-SUN	d	D	H	W	Application
1106CST	36.6	43/75	25.5	41.2	FORD



CO-SUN	d	D	H	W	Application
1102CSR58	37	58	31	56.2	MITSUBISHI HYUNDAI



CO-SUN	d	D	H	W	Application
1107CST	38	45/64	25	46	BMW ALPINA



CO-SUN	d	D	H	W	Application
1103CSR34	25.6	34	19	76.3	LADA



CO-SUN	d	D	H	W	Application
1108CSR54	36	54	27	77	FORD MAZDA OPEL

◆ 离合器分离轴承 Clutch Release Bearing



CO-SUN	d	D	H	W	Application
1109CSR48	33	48	22	70.2	DAEWOO DAMAS



CO-SUN	d	D	H	W	Application
1114CST	35.1	38/61	29.6	78.5	PAYKAN



CO-SUN	d	D	H	W	Application
1110CST	34	44/59	20	44	JMC LAND WIND



CO-SUN	d	D	H	W	Application
1115CSR48	33.1	48	13	68	NISSAN



CO-SUN	d	D	H	W	Application
1111CST	48.2	61/94.5	19.3	75	



CO-SUN	d	D	H	W	Application
1116CSY	34.4	50	15	63.5	



CO-SUN	d	D	H	W	Application
1112CSR34	25.9	34	20	26.2	LADA



CO-SUN	d	D	H	W	Application
1117CSR58	37	58	31	100	HYUNDAI



CO-SUN	d	D	H	W	Application
1113CSR34	26.2	34	17.5	30	RENAULT MITSUBISHI VOLVO NISSAN DACIA



CO-SUN	d	D	H	W	Application
1118CSR47	29	47	21	38	KIA MAZDA

◆ 离合器分离轴承 Clutch Release Bearing



CO-SUN	d	D	H	W	Application
1119CST	31.5	41/56	23.5	41.5	SEAT SKODA AUDI VW



CO-SUN	d	D	H	W	Application
1124CST	76	76/95	29	115	



CO-SUN	d	D	H	W	Application
1120CST	31	43/56.5	22.5	41.5	VW AUDI



CO-SUN	d	D	H	W	Application
1125CSR55	35.1	55	24	72	HONDA



CO-SUN	d	D	H	W	Application
1121CSR42	28.6	42	26	90.5	ALFA ROMEO FIAT SEAT



CO-SUN	d	D	H	W	Application
1126CSR47	28.2	47	22	55.5	TOYOTA



CO-SUN	d	D	H	W	Application
1122CSR44	30.1	44	20.5	45	



CO-SUN	d	D	H	W	Application
1127CSR50	33.5	50	22.5	50	



CO-SUN	d	D	H	W	Application
1123CST	58.1	65/95	81.1	75	BENZ




CO-SUN	d	D	H	W	Application
1128CSR48	41	48	16.5		BENZ

◆ 离合器分离轴承 Clutch Release Bearing



CO-SUN	d	D	H	W	Application
1129CST	55	70/90	50		



CO-SUN	d	D	H	W	Application
1134CSR55	32	55	19.2	62	HYUNDAI




CO-SUN	d	D	H	W	Application
1130CST	70	100/132	88		




CO-SUN	d	D	H	W	Application
1135CSR34	23.3	34	43.5	79.5	PAYKEN



CO-SUN	d	D	H	W	Application
1131CST	25.1	33/50	20.5	35.8	CITROEN



CO-SUN	d	D	H	W	Application
1136CSR34	24.2	34	20.5	61.5	PEUGEOT 405



CO-SUN	d	D	H	W	Application
1132CST	30	32/45	19	59.5	



CO-SUN	d	D	H	W	Application
1137CSR34	24.2	34	18.5	61.5	PEUGEOT 206



CO-SUN	d	D	H	W	Application
1133CSR58	45.8	58	34.6		



CO-SUN	d	D	H	W	Application
1138CSR55	31.8	55	27	46	MITSUBISHI

◆ 离合器分离轴承 Clutch Release Bearing



CO-SUN	d	D	H	W	Application
1139CST	45.4	65/95	48	74.3	BENZ



CO-SUN	d	D	H	W	Application
1144CSR48	37.3	48	18.5	56	ISUZU



CO-SUN	d	D	H	W	Application
1140CSR68	56.4	68	47.5	85	



CO-SUN	d	D	H	W	Application
1145CSR50	28.2	50	21.5	55.3	SUBARU SUZUKI



CO-SUN	d	D	H	W	Application
1141CSR68	38.1	68	47.5	48	TOYOTA



CO-SUN	d	D	H	W	Application
1146CSL	26.6		37	64	



CO-SUN	d	D	H	W	Application
1142CSR68	38.1	68	51.5	48	TOYOTA



CO-SUN	d	D	H	W	Application
1147CSR68	35	68	47	48	TOYOTA



CO-SUN	d	D	H	W	Application
1143CSR60	35	60	24.5	76	TOYOTA



CO-SUN	d	D	H	W	Application
1148CSR68	38	68	53.5	48	TOYOTA

◆ 离合器分离轴承 Clutch Release Bearing



CO-SUN	d	D	H	W	Application
1149CST	27.9	47	24		VW



CO-SUN	d	D	H	W	Application
1154CSR47	29.1	47	21	38	MAZDA



CO-SUN	d	D	H	W	Application
1150CSR44	28	44	22.5	45	DAIHATSU



CO-SUN	d	D	H	W	Application
1155CSR40	26.1	40	34	31	FIAT




CO-SUN	d	D	H	W	Application
1151CST	44.6	55/77	27	52	FORD



CO-SUN	d	D	H	W	Application
1156CSR48	31.8	48	20	46	HYUNDAI KIA



CO-SUN	d	D	H	W	Application
1152CST	38.1	45/64	34	52	



CO-SUN	d	D	H	W	Application
1157CSR42	28.4	42	26	90	ALFA ROMEO FIAT SEAT LANCIA ZASTAVA



CO-SUN	d	D	H	W	Application
1153CSR55	32.1	55	32	46	DELICA SOU EAST FREECA MPV



CO-SUN	d	D	H	W	Application
1158CSR34	26	34	17.5	30	MINI MITSUBISHI OPEL VOLVO RENAULT VAUXHALL

◆ 离合器分离轴承 Clutch Release Bearing



CO-SUN	d	D	H	W	Application
1159CSR68	38.1	68	49	50	HINO



CO-SUN	d	D	H	W	Application
1164CST	34	44/62	16	72	BMW VW



CO-SUN	d	D	H	W	Application
1160CSR68	44.6	68	27.5	52	FORD



CO-SUN	d	D	H	W	Application
1165CSR68	35	68	27	44	TOYOTA



CO-SUN	d	D	H	W	Application
1161CSR44	28	44	22	35	DAIHATSU



CO-SUN	d	D	H	W	Application
1166CSR34	24	34	17	29	CITROEN PEUGEOT



CO-SUN	d	D	H	W	Application
1162CST	48.1	60/78	44	59	ISUZU



CO-SUN	d	D	H	W	Application
1167CST	36.5	42/68	17.2	41.2	FORD MERCURY



CO-SUN	d	D	H	W	Application
1163CSR48	29	48	21	38	KIA MAZDA



CO-SUN	d	D	H	W	Application
1167-1CST	36.5	42/68	17.2	41.2	FORD MERCURY

◆ 离合器分离轴承 Clutch Release Bearing



CO-SUN	d	D	H	W	Application
1168CST	22.8	47.2	27		V.W.



CO-SUN	d	D	H	W	Application
1173CSR50	33	50	22	70.2	



CO-SUN	d	D	H	W	Application
1169CSR52	46	52	25.5		Toyota



CO-SUN	d	D	H	W	Application
1174CST	40	48x64.5	49.5	44	
		69x87	25	89.5	



CO-SUN	d	D	H	W	Application
1170CSR62	33.1	62	43	42	



CO-SUN	d	D	H	W	Application
1175CST	32.1	43/62	37	79.5	



CO-SUN	d	D	H	W	Application
1171CST	28	47	23.7		




CO-SUN	d	D	H	W	Application
1176CSR68	38.1	68	42.5	48	



CO-SUN	d	D	H	W	Application
1172CST	25.9	47.2	26		



CO-SUN	d	D	H	W	Application
1177CST	51.2	67/98	52	70	



CO-SUN 1178CST	d	D	H	W	Application
	41.8	50x62.5	60	60	
		68x79	8	85	



CO-SUN 1183CSR34	d	D	H	W	Application
	25.6	35	20	36	




CO-SUN 1188CSR68	d	D	H	W	Application
	38.1	68	37.5	48	



CO-SUN 1193CST	d	D	H	W	Application
	38	56/80	32	52	



CO-SUN 1179CSR55	d	D	H	W	Application
	36.1	55	25	77	



CO-SUN 1184CST	d	D	H	W	Application
	35	44/67.5	17	41.2	



CO-SUN 1189CSR	d	D	H	W	Application
	40.1	48	26	74	



CO-SUN 1194CST	d	D	H	W	Application
	38.1	51/80	32	52	



CO-SUN 1180CSR60	d	D	H	W	Application
	35.7	60	25	79	




CO-SUN 1185CST	d	D	H	W	Application
	40.1	57/115	32	46	



CO-SUN 1190CSR	d	D	H	W	Application
	40.5	44/64	21	80	



CO-SUN 1195CST	d	D	H	W	Application
	38.1	45/64	25	46	



CO-SUN 1181CSR44	d	D	H	W	Application
	28.1	44	22.5	44.7	



CO-SUN 1186CSR68	d	D	H	W	Application
	38.1	68	34	48	



CO-SUN 1191CST	d	D	H	W	Application
	28.1	44	22	55.5	



CO-SUN 1196CST	d	D	H	W	Application
	56.5	70/100	36.5	69.5	



CO-SUN 1182CST	d	D	H	W	Application
	26.3	40	21.5	100	



CO-SUN 1187CST	d	D	H	W	Application
	33.8	44/67.5	17.5	42.5	



CO-SUN 1192CST	d	D	H	W	Application
	38.2	42/60	17	46	



CO-SUN 1197CSR34	d	D	H	W	Application
	26	34	22.5	76.2	

◆ 离合器分离轴承 Clutch Release Bearing



CO-SUN	d	D	H	OD
8001CST	52.4	60/86	20	93.6



CO-SUN	d	D	H	OD
8007CST	55	60/81	19.5	88



CO-SUN	d	D	H	OD
8002CST	63.5	70/98	22	100



CO-SUN	d	D	H	OD
8008CST	52.4	54/75	19.5	86



CO-SUN	d	D	H	OD
8003CST	65	65.5/94	22	102



CO-SUN	d	D	H	OD
8009CST	50	56/80	15.8	82



CO-SUN	d	D	H	OD
8004CST	63.5	70/94	22	101.5



CO-SUN	d	D	H	OD
8010CST	45	58	23	77



CO-SUN	d	D	H	OD
8005CST	63.5	65/96	22	103



CO-SUN	d	D	H	OD
8011CST	63.5	70/100	20.5	102



CO-SUN	d	D	H	OD
8006CST	70	71/108	27	117



CO-SUN	d	D	H	OD
8012CST	62	63/89	22	97

◆ 离合器分离轴承 Clutch Release Bearing



CO-SUN	d	D	H	OD
8013CSR62	40	62	19	74.5



CO-SUN	d	D	H	OD
8019CSR68	52.4	68	26	92



CO-SUN	d	D	H	OD
8014CST	69.85	71/108	21	117



CO-SUN	d	D	H	OD
8020CST	63.5	64.5/94.5	22	100



CO-SUN	d	D	H	OD
8015CSR48	38.1	48	16.5	67



CO-SUN	d	D	H	OD
8021CSR45	35	45	14	56.5



CO-SUN	d	D	H	OD
8016CST	52.4	54/82	22.5	92



CO-SUN	d	D	H	OD
8022CST	50	71/90	22	90



CO-SUN	d	D	H	OD
8017CST	52.4	53.5/80	22	88



CO-SUN	d	D	H	OD
8023CST	106	108/133	25	140



CO-SUN	d	D	H	OD
8018CST	63.5	64/95	22	106



CO-SUN	d	D	H	OD
8024CST	68	68.5/96	22	103

◆ 离合器分离轴承 Clutch Release Bearing



CO-SUN	d	D	H	OD
8025CST	55	56/83	25	90.6



CO-SUN	d	D	H	OD
8026CSR50	40	50	20	67



CO-SUN	d	D	H	OD
8027CST	50	72/108	22.5	114



CO-SUN	d	D	H	OD
8028CST	35	43/60	15.9	67



CO-SUN	d	D	H	OD
8029CSR60	55	60	19	82



CO-SUN	d	D	H	OD
8030CSR55	45	55	18	74



CO-SUN	d	D	H	OD
8031CST	55	57/87	26	92



CO-SUN	d	D	H	OD
8032CST	52.4	59/90	20	97



CO-SUN	d	D	H	OD	Application
8033CSR66	55	66	26.5	92	



CO-SUN	d	D	H	OD	Application
8034CST	40	41/62	18	70	



CO-SUN	d	D	H	OD	Application
8035CST	50.8	52/78	19	93	



CO-SUN	d	D	H	OD	Application
8036CST	52.4	53/86	19	85.8	


◆ 离合器分离轴承 Clutch Release Bearing



CO-SUN	d	D	H	OD	Application
8037CSR50	40	50	16	64	



CO-SUN	d	D	H	OD	Application
8038CSR59	52	59	21.3	90	



CO-SUN	d	D	H	OD	Application
8039CST	50	21/75	21.5	82	



CO-SUN	d	D	H	OD	Application
8040CSR69	51.6	69	21.3	87.6	



CO-SUN	d	D	H	W	Application
8041CST	55	61/85	19.5	85.6	

◆ 液压离合器分离轴承 HYDRAULIC CLUTCH RELEASE BEARING



Y001CST



Y002CST



Y003CSR50



Y004CST



Y005CST



Y006CST



Y007CST



Y008CST



Y009CST



Y011CST



Y013CST



Y015CSR42



Y010CST



Y012CSR62



Y014CST



Y016CST

◆ 液压离合器分离轴承 HYDRAULIC CLUTCH RELEASE BEARING

◆ 汽车空调压缩机轴承 Air-conditioning Bearings

汽车空调压缩机轴承属薄壁类双列角接触球轴承，能承受很大的径向载荷和轴向载荷，具有长寿命、高可靠度，能适合汽车空调压缩机要求的各种工况条件。空调压缩机多安装在汽车发电机前，与发电机、水泵、张紧轮相邻，空间小结构紧凑，工作温度高、环境恶劣。要求轴承长寿命、耐高温、低噪音，防尘防水性能好，属专用轴承。




Bearing No.				Boundary dimensions (mm)				Application
CO-SUN	NACHI	NSK	KOYO	d	D	B	C	
17CS5217				17	52	17		
17CS5221				17	52	21		
30CS4712	30BD4712			30	47	12		
30CS5220	30BGS10G-2DST (101.007)			30	52	20		
30CS5222	30BGS10G-2DST2	30BD5222DU 30BD5222DUUM6	DAC3052-32RD	30	52	22		FORD , TOYOTA , HONDA
30CS5523	30BG05S5G-2DS 5006-2NSL 30BG05S2DS	30BD40DU 30BD219V		30	55	23		FORD
32CS5220	320-2001		2TS2-DF0676LH	32	52	20		BENZ
35CS5020	35BG05S7G-2NST	35BD5020DU	DAC35500020	35	50	20		MITSUBISHI
35CS5220	35BD5220DF (101.011)			35	52	20		
35CS5222	35BD5222DFX7 (101.006)	35BD522DFX7	DAC35520022	35	52	22		
35CS5223	35BG05S6G			35	52	23		
35CS5520	35BG05S10G-2DST2	35BD219DUK	DAC35550020	35	55	20		GM , HONDA , NISSAN
35CS6224	DF0789(101.008)	35BD6224DV		35	62	24		
35CS6227		35BD210DDU	BD30-11A	35	62	27.7		CHRYSLER WHITE
40CS5724	40BG05S1DS 40BG05S2G-2DS 712019-NBR-2	40BD45T12DDU 907257A		40	57	24		MITSUBISHI
40CS62206	65S7684/6559496	40BD49V/90527	83A5518	40	62	20.625		GM (90527)
40CS6224	40BGS11G-2DS	40BD219T12DDU	83A551B4	40	62	24		FORD , CHRYSLER
40CS6624	40BGS39G	2TS2-DF08A06		40	66	24		
40CS6830		40BD6830DUK		40	68	30		
45CS6420		DF0957		45	64	20		
28CS4518				28	45	18		

◆ 张紧轮轴承 Tensioner & Idler Bearings

张紧轮轴承分为：

- 1、张紧轮轴承：通常作用在皮带的松边上，用以调节皮带张力，以维系皮带平稳、正常传动的轴承及附件总成。
- 2、惰轮轴承：通常作用在皮带的紧边上，用以固定、增加皮带的包角或为了满足传动设计的需要，以起到中介或过渡作用的轴承及其附件的总成。
- 3、张紧器轴承：通常作用在附件系的多楔带传动中，由轴承的附件底座系统提供较大的扭矩，以起到对多楔带相对较大张紧力和增加对其他传动轮子包角的双重功效的轴承单元。



CO-SUN	GMB	SKF	INA	NTN	NSK	ETC.
CS603001	GT10022	VKM75006		JPU60-256+JF457		
CS603002	GT10032	VKM75033			60TB041B12	
CS603003	GT10040	VKM75008		JPU60-243		
CS603004	GT10050	VKM85000				
CS603005	GT10060	VKM75144		JPU60-215		
CS603006	GT10061					
CS603007	GT10070	VKM75044		JPU55-54		
CS603008	GT10072					
CS603009	GT10140	VKM750601	F-124070	JPU58-63+JF181	60TB039B09	
CS603010			F-12090			
CS603011					830900E2	2108-1006120
CS603012					830900E1	2112-1006120
CS603013					830700	2112-1006135